



# Mera Klimastuhl



Design: Jörg Bernauer


The Klöber Klimastuhl makes this possible: every employee can regulate the temperature wherever they sit, selecting their own personal heating preferences. Flexible, any time.



# Mera Klimastuhl


BASIC SPECIFICATION	(further functions and equipment features on the next page)
<b>Swivel chair, Swivel chair fully upholstered, Swivel chair Network, Swivel chair elastic mesh backrest</b>	
Climate package	<ul style="list-style-type: none"> <li>- mer99k / mer98k: Heating and ventilation function in seat and backrest</li> <li>- mer95k / mer94k / mer89k / mer88k / mer85k / mer84k: heating and ventilation function in seat</li> <li>- Heating/ventilation function with 2 power levels is controlled with a rocker switch</li> <li>- Lithium-ion rechargeable battery (capacity 5200mAh) (CEE 7/16). Integral charge status display allows the user to check the charge status by pressing a button</li> <li>- Seat occupancy detection. When the chair is not occupied the heating and ventilation functions turn off automatically (intelligent energy use)</li> <li>- Supplied with 1 rechargeable battery and 1 charger cable as standard</li> </ul>
Function	<ul style="list-style-type: none"> <li>- Point-synchronised mechanism</li> <li>- 1:4 tilt ratio between seat and backrest angle</li> <li>- Backrest tilt angle 26°</li> <li>- With progressive counter-pressure</li> </ul>
Body weight adjustment	<ul style="list-style-type: none"> <li>- 45-125 kg</li> <li>- Patented quick-set adjustment in 12 positions, by max. 6.6 kg per position</li> <li>- Total travel just 70°, in other words within a single hand movement</li> </ul>
Synchronised locking	<ul style="list-style-type: none"> <li>- Pivot angle can be selected individually with a choice of 2 positions (0° / 16°)</li> <li>- Seat-backrest opening angle 90°</li> </ul>
Seat tilt	<ul style="list-style-type: none"> <li>- Seat tilt +1° or -4° (Delta 5°)</li> <li>- Encourages an upright sitting position and positions the pelvis correctly and leads to well-being</li> <li>- Rocker switch for easy operation</li> </ul>
Seat height adjustment	<ul style="list-style-type: none"> <li>- 40-51 cm</li> <li>- Safety gas-lift</li> </ul>
Seat	<ul style="list-style-type: none"> <li>- Seat depth 42 cm</li> <li>- 65 mm CFC-free PU foam cushion</li> <li>- Foam density 60 kg/m<sup>3</sup></li> </ul>
Backrest	<ul style="list-style-type: none"> <li>- mer99k / mer98k: 59 cm</li> <li>- Self-supporting, glass-fibre reinforced plastic seat shell, black or white-grey (RAL 7035), allows dynamic lateral left-right movement</li> <li>- PU moulded foam cushion 35mm, CFC-free, with ergonomic contour</li> <li>- Foam density 60 kg/m<sup>3</sup></li> <li>- mer95k / mer94k: 59 cm</li> <li>- Fully-upholstered backrest with 10 mm PU cut-foam, CFC-free, on flexible elastic mesh material</li> <li>- Highly-elastic belt structure (made of interwoven strips) with differing ranges of elasticity ensures a high level of comfortable support for the upper body</li> <li>- mer89k / mer88k: 59 cm</li> <li>- Self-supporting, glass-fibre reinforced plastic frame with injected plastic mesh in black or white-grey (RAL 7035). Allows dynamic movement to the left and right</li> <li>- Highly-elastic belt structure (made of interwoven strips) with differing ranges of elasticity ensures a high level of comfortable support for the upper body</li> <li>- mer85k / mer84k: 59 cm</li> <li>- Self-supporting, glass-fibre reinforced plastic frame in black or white-grey (RAL 7035), allows dynamic movement to the left and right</li> <li>- Knitted 3D mesh (100% TWD Polyester), black</li> </ul>
Neck support	<ul style="list-style-type: none"> <li>- mer99k / mer95k / mer89k / mer85k: 9 cm height adjustable and continuous swivel 30°</li> <li>- Headrest for chairs with fabric upholstery in Skai Evida black, a breathable PU-material</li> <li>- Headrest in leather for models in leather upholstery</li> <li>- Fits perfectly to head shape and position, avoiding pressure sores</li> </ul>
Lordosis support	<ul style="list-style-type: none"> <li>- mer99k / mer98k: Lumbar support height-adjustable by 9 cm</li> <li>- mer85k / mer84k: Lumbar support height-adjustable by 6 cm</li> </ul>
Castors	<ul style="list-style-type: none"> <li>- Black plastic, Ø 50 mm, for carpets</li> <li>- Load-dependent braked double hard castors</li> </ul>
Standards / Certificates	<ul style="list-style-type: none"> <li>- GS symbol from TÜV Rheinland LGA Products GmbH / DIN EN 1335 / DIN 4551</li> <li>- CE mark / DIN EN 60335, 62133, 62233</li> <li>- Ergonomics certificate from LGA Nuremberg (Ergonomics Approved)</li> <li>- EU directive 90 / 270 EEC for display screen equipment / DIN EN ISO 9241</li> <li>- Greenguard certification</li> <li>- FACTS quality seal very good</li> <li>- iF product design award 2012</li> </ul>
Warranty	<ul style="list-style-type: none"> <li>- 5 years warranty (see terms and conditions of sale and delivery)</li> <li>- Rechargeable battery 2 years</li> </ul>

## Dimensions




### mer99k + 3550

with arm supports: mer99k - 19 kg  
without arm supports: mer99k - 17 kg




### mer98k + 3107 + 3305 + 3553

with arm supports: mer98k - 18 kg  
without arm supports: mer98k - 16 kg




### mer95k + 3545

with arm supports: mer95k - 20 kg  
without arm supports: mer95k - 18 kg




### mer94k + 3545

with arm supports: mer94k - 19 kg  
without arm supports: mer94k - 17 kg




### mer89k + 3549

with arm supports: mer89k - 19 kg  
without arm supports: mer89k - 17 kg




### mer88k + 3549

with arm supports: mer88k - 18 kg  
without arm supports: mer88k - 16 kg



### mer85k + 3549

with arm supports: mer85k - 18 kg  
without arm supports: mer85k - 16 kg



### mer84k + 3549

with arm supports: mer84k - 18 kg  
without arm supports: mer84k - 16 kg

## Fabric requirement

Model	same colour	different colours	
	seat and backrest	seat	backrest
mer99k	0,75 x 1,30 m	0,75 x 1,30 m	0,75 x 1,30 m
mer98k	0,75 x 1,30 m	0,75 x 1,30 m	0,75 x 1,30 m
mer95k	1,30 x 1,30 m	0,75 x 1,30 m	0,55 x 1,30 m
mer94k	1,30 x 1,30 m	0,75 x 1,30 m	0,55 x 1,30 m
mer89k	-	0,75 x 1,30 m	-
mer88k	-	0,75 x 1,30 m	-
mer85k	-	0,75 x 1,30 m	-
mer84k	-	0,75 x 1,30 m	-

Leather requirement on request

## Mera Klimastuhl

## Swivel chair

Model	Art. no.	Price category for upholstery fabric						
	mer99k	04 Chicago Nova Era	05 Fame Harlequin Malta Step	06 Evida	17 Comfort +	48* Leather premium +	09 COM	19 Customer leather
	mer98k							

Option	Description	Code	mer99k	mer98k	
Climate package	heating and ventilation in seat and backrest (not possible in conjunction with Nova, Fame, Evida, Comfort +)	K000	●	●	
	heating and ventilation in seat (not possible in conjunction with Nova, Fame, Evida, Comfort +)	K010	○	○	
	heating in seat and backrest	K100	○	○	
	heating in seat	K110	○	○	
Model	seat and backrest shell				
		black	3961	●	●
		white-grey	3962	○	○
Arm supports	without arm supports		3500	●	●
	height-adjustable arm supports (with width adjustment 3917)	black	3545	○	○
		white-grey	3546	○	○
	3D arm supports (with width adjustment 3917)	black	3549	○	○
		black, with soft pads	3550	○	○
		white-grey	3551	○	○
	Z arm supports	black	3553	○	○
	4F arm supports aluminum (with width adjustment 3917)	black	3557	○	○
		black, with leather finish	3577	○	○
		alu-coloured	3558	○	○
alu-coloured, with leather finish		3578	○	○	
	polished	3559	○	○	
	polished, with leather finish	3579	○	○	
Seat	standard seat		3750	●	●
	celligence®-seat (not possible in conjunction with K000, K010)		3752	○	○
Base colour	plastic	fibreglass-reinforced black, L, 5-star	3221	●	●
		aluminium			
		black, 5-star	3201	○	○
		alu-coloured, 5-star	3202	○	○
		polished, 5-star	3203	○	○
	white-grey, 5-star	3205	○	○	
Castors / Glides	hard castors Ø 50 mm, for carpets		3101	●	●
	soft castors Ø 50 mm, for hard floors		3102	○	○
	hard castors Ø 65 mm, for carpets		3103	○	○
	soft castors Ø 65 mm, for hard floors		3104	○	○
Counter chair	glides and base ring		3107	○	○
	felt glides and base ring		3117	○	○
Seat height	40-51 cm		3300	●	●
	40-51 cm with mechanical depth spring		3301	○	○
	46-60 cm with mechanical depth spring		3303	○	○
	60-85 cm counter chair (only in conjunction with 3107/17)		3305	○	○
	42-56 cm with mechanical depth spring		3306	○	○

● Basic specification ○ Optional, at an additional charge

## Mera Klimastuhl

## Swivel chair

Option	Description	Code	mer99k	mer98k
Further characterist.	seat depth adjustment / sliding seat (seat can be adjusted by 6 cm towards the front; with return spring)	3420	○	○
	seat tilt (by 5°, preselectable +1° or -4°)	3424	●	●
	body weight adjustment (60 - 140 kg)	3432	○	○
	width adjustable arm supports without the use of tools	3917	○	○
	lordosis support (height adjustable by 9 cm)		●	●
	coathanger, black plastic	3918	○	-
	coathanger, chromed	3919	-	○
	ESD anti-static (according to DIN EN 61340-5-1) ***	XESD	-	○
	seat and backrest upholstered in different colours **	P001	○	○



\* Delivery time for leather on request; K000 & K010 leather perforated

\*\* P001: Comfort + (17) double the price

\*\*\* mer98k ESD model: only in conjunction with ESD fabric (with a special connection between seat and back), aluminium starbase and anti-static castors Ø 50 mm  
Replacement battery (K00A) + replacement charger (K00G) on the accessories page

## Mera Klimastuhl

## Swivel chair fully upholstered

Model	Art. no.	Price category for upholstery fabric				
	mer95k	04 Chicago Era	05 Fame Harlequin Malta Step	06 Evida	48* Leather premium +	09 COM
	mer94k					

Option	Description	Code	mer95k	mer94k	
Climate package	heating and ventilation in seat <small>(not possible in conjunction with Fame, Evida)</small>	K010	●	●	
	heating in seat	K110	○	○	
Model	seat and backrest shell				
	black	3961	●	●	
	white-grey	3962	○	○	
Arm supports	without arm supports	3500	●	●	
	height-adjustable arm supports (with width adjustment 3917)	black	3545	○	○
		white-grey	3546	○	○
	3D arm supports (with width adjustment 3917)	black	3549	○	○
		black, with soft pads	3550	○	○
		white-grey	3551	○	○
	Z arm supports	black	3553	○	○
	4F arm supports aluminum (with width adjustment 3917)	black	3557	○	○
		black, with leather finish	3577	○	○
		alu-coloured	3558	○	○
		alu-coloured, with leather finish	3578	○	○
		polished	3559	○	○
	polished, with leather finish	3579	○	○	
Seat	standard seat	3750	●	●	
	celligence®-seat <small>(not possible in conjunction with K010)</small>	3752	○	○	
Base colour	plastic	fibreglass-reinforced black, L, 5-star	3221	●	●
		aluminium			
	black, 5-star	3201	○	○	
	alu-coloured, 5-star	3202	○	○	
	polished, 5-star	3203	○	○	
	white-grey, 5-star	3205	○	○	
Castors / Glides	hard castors Ø 50 mm, for carpets	3101	●	●	
	soft castors Ø 50 mm, for hard floors	3102	○	○	
	hard castors Ø 65 mm, for carpets	3103	○	○	
	soft castors Ø 65 mm, for hard floors	3104	○	○	
Counter chair	glides and base ring	3107	○	○	
	felt glides and base ring	3117	○	○	
Seat height	40-51 cm	3300	●	●	
	40-51 cm with mechanical depth spring	3301	○	○	
	46-60 cm with mechanical depth spring	3303	○	○	
	60-85 cm counter chair <small>(only in conjunction with 3107/17)</small>	3305	○	○	
	42-56 cm with mechanical depth spring	3306	○	○	

● Basic specification ○ Optional, at an additional charge

## Mera Klimastuhl



## Swivel chair fully upholstered

Option	Description	Code	mer95k	mer94k
Further characterist.	diamond-embossing in backrest upholstery ** (not possible in conjunction with Evida, Leather premium +, 3817)	PR01	<input type="radio"/>	<input type="radio"/>
	seat depth adjustment / sliding seat (seat can be adjusted by 6 cm towards the front; with return spring)	3420	<input type="radio"/>	<input type="radio"/>
	seat tilt (by 5°, preselectable +1° or -4°)	3424	<input checked="" type="radio"/>	<input checked="" type="radio"/>
	body weight adjustment (60 - 140 kg)	3432	<input type="radio"/>	<input type="radio"/>
	width adjustable arm supports without the use of tools	3917	<input type="radio"/>	<input type="radio"/>
	lordosis support (height adjustable by 8 cm; not possible in conjunction with Step)	3817	<input type="radio"/>	<input type="radio"/>
	coathanger, black plastic	3918	<input type="radio"/>	-
	seat and backrest upholstered in different colours	P001	<input type="radio"/>	<input type="radio"/>

\* Delivery time for leather on request; K010 leather perforated

\*\* Delivery time + 2 weeks

Replacement battery (K00A) + replacement charger (K00G) on the accessories page

Model	Art. no.	Price category for upholstery fabric						
	mer89k	04 Chicago Nova Era	05 Fame Harlequin Malta Step	06 Evida	17 Comfort +	48* Leather premium +	09 COM	19 Customer leather
	mer88k							

Option	Description	Code	mer89k	mer88k	
Climate package	heating and ventilation in seat (not possible in conjunction with Nova, Fame, Evida, Comfort +)	K010	●	●	
	heating in seat	K110	○	○	
Model	seat and backrest shell				
		black	3961	●	●
		white-grey	3962	○	○
Arm supports	without arm supports		3500	●	●
	height-adjustable arm supports (with width adjustment 3917)	black	3545	○	○
		white-grey	3546	○	○
	3D arm supports (with width adjustment 3917)	black	3549	○	○
		black, with soft pads	3550	○	○
		white-grey	3551	○	○
	Z arm supports	black	3553	○	○
	4F arm supports aluminum (with width adjustment 3917)	black	3557	○	○
		black, with leather finish	3577	○	○
		alu-coloured	3558	○	○
		alu-coloured, with leather finish	3578	○	○
	polished	3559	○	○	
	polished, with leather finish	3579	○	○	
Seat	standard seat		3750	●	●
	celligence®-seat (not possible in conjunction with K010)		3752	○	○
Base colour	plastic	fibreglass-reinforced black, L, 5-star	3221	●	●
		aluminium			
	black, 5-star	3201	○	○	
	alu-coloured, 5-star	3202	○	○	
	polished, 5-star	3203	○	○	
	white-grey, 5-star	3205	○	○	
Upholstery	seat upholstered, plastic mesh backrest		P830	●	●
	seat upholstered, plastic mesh backrest with black mesh padding		P860	○	○
	seat upholstered, plastic mesh backrest with white-grey mesh padding		P861	○	○
Castors / Glides	hard castors Ø 50 mm, for carpets		3101	●	●
	soft castors Ø 50 mm, for hard floors		3102	○	○
	hard castors Ø 65 mm, for carpets		3103	○	○
	soft castors Ø 65 mm, for hard floors		3104	○	○
Counter chair	glides and base ring		3107	○	○
	felt glides and base ring		3117	○	○
Seat height	40-51 cm		3300	●	●
	40-51 cm with mechanical depth spring		3301	○	○
	46-60 cm with mechanical depth spring		3303	○	○
	60-85 cm counter chair (only in conjunction with 3107/17)		3305	○	○
	42-56 cm with mechanical depth spring		3306	○	○

● Basic specification ○ Optional, at an additional charge




## Mera Klimastuhl

## Swivel chair Network

Option	Description	Code	mer89k	mer88k
Further characterist.	seat depth adjustment / sliding seat (seat can be adjusted by 6 cm towards the front; with return spring)	3420	<input type="radio"/>	<input type="radio"/>
	seat tilt (by 5°, preselectable +1° or -4°)	3424	<input checked="" type="radio"/>	<input checked="" type="radio"/>
	body weight adjustment (60 - 140 kg)	3432	<input type="radio"/>	<input type="radio"/>
	width adjustable arm supports without the use of tools	3917	<input type="radio"/>	<input type="radio"/>
	coathanger, black plastic	3918	<input type="radio"/>	-

\* Delivery time for leather on request; K010 leather perforated  
Replacement battery (K00A) + replacement charger (K00G) on the accessories page

Model	Art. no.	Price category for upholstery fabric						
	mer85k	04 Chicago Nova Era	05 Fame Harlequin Malta Step	06 Evida	17 Comfort +	48* Leather premium +	09 COM	19 Customer leather
	mer84k							

Option	Description	Code	mer85k	mer84k	
Climate package	heating and ventilation in seat (not possible in conjunction with Nova, Fame, Evida, Comfort +)	K010	●	●	
	heating in seat	K110	○	○	
Model	seat and backrest shell				
	black	3961	●	●	
	white-grey	3962	○	○	
Arm supports	without arm supports	3500	●	●	
	height-adjustable arm supports (with width adjustment 3917)	black	3545	○	○
		white-grey	3546	○	○
	3D arm supports (with width adjustment 3917)	black	3549	○	○
		black, with soft pads	3550	○	○
		white-grey	3551	○	○
	Z arm supports	black	3553	○	○
	4F arm supports aluminum (with width adjustment 3917)	black	3557	○	○
		black, with leather finish	3577	○	○
		alu-coloured	3558	○	○
		alu-coloured, with leather finish	3578	○	○
	polished	3559	○	○	
	polished, with leather finish	3579	○	○	
Seat	standard seat	3750	●	●	
	celligence®-seat (not possible in conjunction with K010)	3752	○	○	
Mesh	black (only in conjunction with 3961)	2080	●	●	
	grey (only in conjunction with 3961)	2001	○	○	
	white-grey (only in conjunction with 3962)	2003	○	○	
	lightgrey (only in conjunction with 3962)	2004	○	○	
	brown (only in conjunction with 3961)	2005	○	○	
	light blue (only in conjunction with 3962)	2006	○	○	
	lime green (only in conjunction with 3962)	2007	○	○	
	dark green (only in conjunction with 3961)	2008	○	○	
	claret (only in conjunction with 3961)	2009	○	○	
Base colour	plastic	fibreglass-reinforced black, L, 5-star	3221	●	●
	aluminium	black, 5-star	3201	○	○
		alu-coloured, 5-star	3202	○	○
		polished, 5-star	3203	○	○
		white-grey, 5-star	3205	○	○
Castors / Glides	hard castors Ø 50 mm, for carpets	3101	●	●	
	soft castors Ø 50 mm, for hard floors	3102	○	○	
	hard castors Ø 65 mm, for carpets	3103	○	○	
	soft castors Ø 65 mm, for hard floors	3104	○	○	
Counter chair	glides and base ring	3107	○	○	
	felt glides and base ring	3117	○	○	

● Basic specification ○ Optional, at an additional charge

## Mera Klimastuhl

## Swivel chair elastic mesh backrest

Option	Description	Code	mer85k	mer84k
Seat height	40-51 cm	3300	●	●
	40-51 cm with mechanical depth spring	3301	○	○
	46-60 cm with mechanical depth spring	3303	○	○
	60-85 cm counter chair (only in conjunction with 3107/17)	3305	○	○
	42-56 cm with mechanical depth spring	3306	○	○
Further characterist.	seat depth adjustment / sliding seat (seat can be adjusted by 6 cm towards the front; with return spring)	3420	○	○
	seat tilt (by 5°, preselectable +1° or -4°)	3424	●	●
	body weight adjustment (60 - 140 kg)	3432	○	○
	width adjustable arm supports without the use of tools	3917	○	○
	without lordosis support	3816	○	○
	lordosis support (height adjustable by 6 cm)	3817	●	●
	coathanger, black plastic	3918	○	-

\* Delivery time for leather on request; K010 leather perforated  
Replacement battery (K00A) + replacement charger (K00G) on the accessories page